

REFRIGERANT R134A

Page: 1

Compilation date: 4/20/2015

Revision date: 2/26/2018

Revision No: 4

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: REFRIGERANT R134A

REACH registered number(s): 01-2119459374-33

CAS number: 811-97-2
EINECS number: 212-377-0
Product code: R134A

Synonyms: * NORFLURANE

HFC-134A, GENETRON 134A 1,1,1,2-TETRAFLUOROETHANE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: * Refrigerant Propellant PC16: Heat transfer fluids.

1.3. Details of the supplier of the safety data sheet

Company name: Industrial Water Chiller

(A Division of T. J. Snow)

120 Nowlin Lane Chattanooga Tennessee 37421 USA

Tel: 1-800-934-0785

Email: customerservice@tjsnow.com

1.4. Emergency telephone number

Emergency tel: 1-800-934-0785

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Press. Gas: H280

Most important adverse effects: Contains gas under pressure; may explode if heated.

2.2. Label elements

Label elements:

Hazard statements: H280: Contains gas under pressure; may explode if heated.

Hazard pictograms: GHS04: Gas cylinder

REFRIGERANT R134A

Page: 2



Signal words: Warning

Precautionary statements: * P280: Wear protective gloves/eye protection/face protection.

P284: [In case of inadequate ventilation] wear respiratory protection. P410+403: Protect from sunlight. Store in a well-ventilated place.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.1. Substances

Chemical identity: REFRIGERANT R134A

CAS number: 811-97-2 **EINECS number:** 212-377-0

REACH registered number(s): 01-2119459374-33

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the

affected skin with running water for 10 minutes or longer if substance is still on skin. Do not

use hot water. If frostbite has occurred call a physician.

Eye contact: * Remove contact lenses if present and easy to do so. Bathe the eye with running water for

15 minutes. Transfer to hospital for specialist examination.

Ingestion: * Ingestion is unlikely due to its physical properties and is not expected to be dangerous.

Since this product is a gas, refer to the inhalation section.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If conscious,

ensure the casualty sits or lies down. If unconscious, check for breathing and apply artificial

respiration if necessary. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be redness or whiteness of the skin in the area of exposure. Frost-bite may occur

causing the affected area to become white and numb. Severe burns may occur.

Eye contact: There may be severe pain. Corneal burns may occur. May cause permanent damage.

Ingestion: * Ingestion is unlikely due to the physical properties of the product. As product is a gas refer

to inhalation section.

Inhalation: Inhalation may produce the following symptoms: Shortness of breath, dizziness, weakness,

nausea, headache, narcosis, irregular cardiac activity. asphyxia May cause cardiac

arrhythmia.

Delayed / immediate effects: May cause cardiac arrhythmia.

REFRIGERANT R134A

Page: 3

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Do Not give adrinaline or similar drugs.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: * The product is not flammable. Suitable extinguishing media for the surrounding fire should

be used. Water spray. Alcohol resistant foam. Dry chemical powder. Carbon dioxide. Use

water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes of hydrogen fluoride.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with

skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: If outside keep bystanders upwind and away from danger point. Ventilate the area, especially

low or enclosed places where heavy vapours might collect.

6.2. Environmental precautions

Environmental precautions: Stop release if safe to do so. The product evaporates readily. Prevent from entering sewers,

basements and work pits, or any place where the accumulation can be dangerous.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Material evaporates. Ventilate the area, especially low or enclosed places where heavy

vapours might collect.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Ensure there is exhaust ventilation of the

area. Do not handle in a confined space.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Store at a temperature not exceeding 45°C. Keep

container tightly closed. Keep away from direct sunlight.

Suitable packaging: Must only be kept in original packaging.

REFRIGERANT R134A

Page: 4

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL	
EU	4240 mg/m3	-	-	-	

DNEL/PNEC Values

REFRIGERANT R134A

Туре	Exposure	Value	Population	Effect
DNEL	Inhalation	2476 mg/m3	Workers	Systemic
DNEL	Inhalation	2476 mg/m3	Consumers	Systemic
PNEC	Fresh water	0.01 mg/l	-	-
PNEC	Marine water	0.75 mg/l	-	-
PNEC	Microorganisms in sewage treatment	73 mg/l	-	-
DNEL	Inhalation	13936 mg/m3	Workers	Systemic
PNEC	Fresh water sediments	0.75 mg/kg	-	-

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area. Ensure there is exhaust ventilation of the

area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: * Viton gloves. The suitability for a specific workplace should be discussed with the

producers of the protective gloves. Protective gloves. Material: Low temperature resistant

gloves.

Eye protection: Safety glasses with side-shields. Safety goggles. Face-shield.

Skin protection: Protective clothing.

Environmental: Gas escapes to be kept to the minimum by engineering processes and operating methods.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquified gas
Colour: Colourless

Odour: Barely perceptible odour

Evaporation rate: Not applicable.

Oxidising: Not applicable.

REFRIGERANT R134A

Page: 5

Solubility in water: Slightly soluble

Boiling point/range°C: -26.2 Melting point/range°C: -101.

Flammability limits %: lower: No data available. upper: No data available.

Flash point°C: Not applicable. Part.coeff. n-octanol/water: No data available.

Autoflammability°C: >750 Vapour pressure: 5915 hPa at 21oC

Relative density: 1.2 pH: Not applicable.

9.2. Other information

Other information: R134a Relative Vapour Dencity: 3.5 (Air=1)

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

10.4. Conditions to avoid

Conditions to avoid: Heat. Hot surfaces. Direct sunlight.

10.5. Incompatible materials

Materials to avoid: Alkali metals. Alkali earth metals. Finely powdered metals.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of hydrogen fluoride. In combustion emits toxic fumes of

carbon dioxide / carbon monoxide.

Section 11: Toxicological information

11.1. Information on toxicological effects

Toxicity values:

Route	Species	Test	Value	Units
GASES	RAT	4H LC50	567000	ppmV

Symptoms / routes of exposure

Skin contact: There may be redness or whiteness of the skin in the area of exposure. Frost-bite may occur

causing the affected area to become white and numb. Severe burns may occur.

Eye contact: There may be severe pain. Corneal burns may occur. May cause permanent damage.

Ingestion: * Ingestion is unlikely due to the physical properties of the product. As product is a gas refer

to inhalation section.

Inhalation: Inhalation may produce the following symptoms: Shortness of breath, dizziness, weakness,

REFRIGERANT R134A

Page: 6

nausea, headache, narcosis, irregular cardiac activity. asphyxia May cause cardiac

arrhythmia.

Delayed / immediate effects: May cause cardiac arrhythmia.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values:

Species	Test	Value	Units
Daphnia magna	48H EC50	980	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	450	mg/l
GREEN ALGA (Selenastrum capricornutum)	72H ErC50	118	mg/l

12.2. Persistence and degradability

Persistence and degradability: Not readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: No data available.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Ozone Depletion Potential (ODP): 0 (R11 = 1) R134a Global Warming Potential (GWP): 1430

(CO2 = 1) Contains fluoronated greenhouse gases covered by the Kyoto Protocol.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: * Recover to a recovery cylinder and return to a refrigerant recovery facility.

Recovery operations: Consult manufacturer or supplier for information regarding recovery and recycling of the

product. If recovery is not possible, incinerat at a licensed installation.

Waste code number: 14 06 01

Disposal of packaging: Return to supplier.

NB: The user's attention is drawn to the possible existence of regional or national regulations

regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN3159

REFRIGERANT R134A

Page: 7

14.2. UN proper shipping name

Shipping name: 1,1,1,2-TETRAFLUOROETHANE (R 134A)

14.3. Transport hazard class(es)

Transport class: 2

14.4. Packing group

14.5. Environmental hazards

Environmentally hazardous: No Marine pollutant: No

14.6. Special precautions for user

Tunnel code: C/E
Transport category: 3

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Contains fluorinated greenhouse gases covered by the Kyoto Protocol.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has been carried out for the substance or the mixture by the

supplier.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

2015/830.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H280: Contains gas under pressure; may explode if heated.

Legal disclaimer: * The above information is believed to be correct but does not purport to be all inclusive and

shall be used only as a guide. This company shall not be held liable for any damage resulting

from handling or from contact with the above product.